| | | | 1. CONTRACT ID CODE | PAGE OF PAGES | |
|---|--|------------------------|---|-----------------------------------|--|
| AMENDMENT OF SOLICITAT | | ONTRACT | | 1 4 | |
| 2. AMENDMENT/MODIFICATION NO. | 3. EFFECTIVE DATE | REQUISITIO | N/PURCHASE REQ. NO. | 5. PROJECT NO. (If applica | |
| 37 | See Block 16C | | | | |
| 6. ISSUED BY C | ODE | 7. ADMINIS | TERED BY (If other than Item 6) | CODE | |
| John F. Kennedy Space Cer | nter, NASA | | | | |
| Procurement Office -OP-OS | S – ODIN | } | | | |
| Kennedy Space Center, FL | 32899 | | | | |
| | | | | | |
| B. NAME AND ADDRESS OF CONTRACTO | R (No., street, county, State, and Zip (| Code) (x) | 9A. AMENDMENT OF SOLIC | TATION NO. | |
| | | ` ′ | | | |
| OAO Corporation | | | 9B. DATED (SEE ITEM 11) | | |
| 7375 Executive Place | | | | | |
| Seabrook, MD 20706 | | | 10A. MODIFICATION OF CONTRACT/ORDER NO. | | |
| , <u></u> | | | NAS5-98144/ | NNK050 A 12 | |
| | | | 11/A33-30 (44/) | NINOSOA 12 | |
| | | | 10B. DATED (SEE ITEM 13) | | |
| CODE | FACILITY CODE | | | | |
| | | | December 1, 2004 | | |
| . THIS ITEM ONLY APPLIES TO AMENDM | | | r 1 | | |
| The above numbered solicitation is ame | nded as set forth in Item 14. The hour | and date specifie | d for receipt of Offers 🏻 📗 is e | ktended, [] found. IS no | |
| xtended. ffers must acknowledge receipt of this amend | dment prior to the hour and data appail | find in the collectati | an areas amonded by one of the | following methods: | |
|) By completing Items 8 and 15, and returning | | | | | |
|) By separate letter or telegram which include | | | | | |
| CEIVED AT THE PLACE DESIGNATED FO | | | | | |
| FFER. If by virtue of this amendment you de akes reference to the solicitation and this am | | | | er, provided each telegram or let | |
| . ACCOUNTING AND APPROPRIATION D | DATA (If required) | pening nour and c | iate specified. | | |
| | | | | | |
| No Change | | | | | |
| TUIO ITEM ADDIVES ONLY TO MODISION | TIONS OF CONTRACTO/OPPEDS | T NODE E O TUE | CONTRACTIONNESS NO. 40.0 | ECODIDED WITEHAM | |
| . THIS ITEM APPLIES ONLY TO MODIFICA | TIONS OF CONTRACTS/ORDERS; I | I MODIFIES THE | CONTRACT/ORDER NO. AS D | ESCRIBED IN ITEM 14. | |
| | | | | | |
| ecti B. THE ABOVE NUMBERED CONTR | ACT/ORDER IS MODIFIED TO REFI | ECT THE ADMINI | STRATIVE CHANGES (such as | changes in paving office. | |
| appropriation date, etc.) SET FORTH | IN ITEM 14, PURSUANT TO THE AUT | THORITY OF FAR | 43.103(b). | onengoo m paymg omee, | |
| X C. THIS SUPPLEMENTAL AGREEM | ENT IS ENTERED INTO PURSUANT | TO AUTHORITY (| DF: | | |
| FAR CLAUSE 52.212-4 CO | NTRACT TERMS AND CONI | DITIONS - CO | MMERCIAL ITEMS, (C) | CHANGES | |
| ecti D. OTHER (Specify type of modification | on and authority) | | | | |
| | | | | | |
| | | | | | |
| IMPORTANT: Contractor [X] found | . Is not, [] is required to sign the | his document ar | d return copies to th | ne issuing office. | |
| DESCRIPTION OF AMENDMENT/MODIFIC | CATION (Organized by UCF section he | eadings, including | solicitation/contract subject matt | | |
| STENNIS SPACE CE | | | | | |
| OTENNIO OF AGE OF | TITEL OBITOE | IVIOLO | | | |
| | | | | | |
| Subject: Incorporate Qua | rter 27 and Quarter 28 | Seat Certifi | cations | | |
| | | | | | |
| cept as provided herein, all terms and condition | | | | | |
| A. NAME AND TITLE OF SIGNER (Type or p | erint) | | TITLE OF CONTRACTING OFF | ICER (Type or print) | |
| Sheryl K. Weimann | | | elope A. Hale | | |
| Contracts Manager | | Con | tracting Officer | | |
| CONTRACTOR/OFFFRE | 1450 0475 010450 | 400 11112 | ATEO OF AMERICA | 160 DATE CIONED | |
| . CONTRACTOR/OFFEROR | 15C. DATE SIGNED | TOR. UNITEDIST | ATES OF AMERICA | 16C. DATE SIGNED | |
| 20,011 | Lialaulas | | 200 Atolo | 10/20/20 | |
| suy Wenam | 10 (41/0) | BY / NUL | pe u Mace | ' | |
| (Signature of person authorized to sign) | | <u>`</u> | urle of Contracting Officer) | FORM 20 (Day 40 00) | |
| 7540-01-152-8070 VIOUS EDITION UNUSABLE | 30-10 | JO . | STANDARL Prescribed by | FORM 30 (Rev. 10-83) | |
| | | | FAR (48 CFR | | |
| | | | , | | |

- 1. The purpose of this modification is to incorporate Attachment K, Listing of Accepted Seat Certifications, and the accepted systems for Quarter 27 and Quarter 28 as defined in paragraphs 4 and 5.
- 2. Part VII, List of Documents, Exhibits, and Other Attachments, is revised to reflect the modification of Attachment K as reflected in the attached slip page for page VIII-1.
- 3. The listing of accepted seat certifications is hereby incorporated into Attachment K of the Delivery Order. Slip pages for Delivery Order pages K-1 and K-2 are attached to this Modification.
- 4. The following Qtr 27 PC and MAC seat configurations are hereby accepted and incorporated into Attachment K of the Delivery Order.

| Seat | Platform | System Configuration | Date Certified | Rating |
|-----------------------|-------------|---------------------------------|-------------------|--------|
| GP1 - Entry | PC-Desktop | HP DC7100, P4, 2.80 GHz | July 1, 2005 | 81.5% |
| GP2 - Mid Range | PC-Desktop | HP DC7100, P4, 3.0 GHz | July 1, 2005 | 85.6% |
| SE1/SE2 High End | PC-Desktop | HP DC7100, P4, 3.2 GHz | July 1, 2005 | 89.3% |
| SE2 - Premium | PC-Desktop | HP XW6200, P4, 3.2 GHz | July 1, 2005 | 94.0% |
| GP3 – Entry | PC-Laptop | HP Latitude NC6230, 1.73 GHz | July 1, 2005 | 80.4% |
| GP3 - Mid Range | PC-Laptop | HP Latitude NC8230, 1.86 GHz | July 1, 2005 | 90.5% |
| GP3 – High End | PC-Laptop | HP Latitude NC8230, 2.0 GHz | July 1, 2005 | 94.8% |
| GP3 – Lightweight | PC-Laptop | HP Latitude NC4200, 1.86 GHz | July 1, 2005 | 93.8% |
| GP3 – Tablet* | PC-Laptop | HP TC4200, 1.86 GHz | July 1, 2005 | 87.2% |
| GP3 – Tablet* | PC-Laptop | HP TC1100, 1.2 GHz | July 1, 2005 | 74.5% |
| GP1 - Entry | MAC-Desktop | Apple iMac G5, 1.6 GHz | July 1, 2005 | 77.5% |
| GP2 - Mid Range | MAC-Desktop | Apple iMac G5, 1.8 GHz | July 1, 2005 | 88.2% |
| SE1/SE2 - High End | MAC-Desktop | Apple PowerMac G5, 1.8 GHz | July 1, 2005 | 100% |
| SE2 – Premium | MAC-Desktop | Apple PowerBook G5 Dual | July 1, 2005 | 100% |
| GP3 - Mid Range | MAC-Laptop | Apple PowerBook G4, 1.67 GHz | July 1, 2005 | 100% |

OAO requests for waiver for GP3-Tablets, HP TC4200 and HP TC1100, dated July 7, 2005 are approved

2. The following Qtr 28 PC and MAC seat configurations are hereby accepted and incorporated into Attachment K of the Delivery Order.

| | Platform | System Configuration | Date Certified | Rating |
|-----------------------|-------------|----------------------------------|-----------------|--------|
| Seat | | | | |
| GP1 - Entry | PC-Desktop | HP DC7600, P4, 2.8 GHz | October 4, 2005 | 76.3% |
| GP2 - Mid Range | PC-Desktop | HP DC7600, P4, 3.0 GHz | October 4, 2005 | 80.2% |
| SE1/SE2 High End | PC-Desktop | HP DC7600, P4, 3.4 GHz | October 4, 2005 | 90.1% |
| SE2 - Premium | PC-Desktop | HP XW6200, P4, 3.2 GHz | October 4, 2005 | 94.0% |
| GP3 – Entry | PC-Laptop | HP Latitude NC6230, 1.73 GHz | October 4, 2005 | 80.4% |
| GP3 - Mid Range | PC-Laptop | HP Latitude NC8230, 1.86 GHz | October 4, 2005 | 90.5% |
| GP3 – High End | PC-Laptop | HP Latitude NC8230, 2.0 GHz | October 4, 2005 | 94.8% |
| GP3 – Lightweight | PC-Laptop | HP Latitude NC4200, 1.86 GHz | October 4, 2005 | 93.8% |
| GP3 – Tablet* | PC-Laptop | HP TC4200, 1.86 GHz | October 4, 2005 | 87.2% |
| GP3 – Tablet* | PC-Laptop | HP TC1100, 1.2 GHz | October 4, 2005 | 74.5% |
| GP1 - Entry | MAC-Desktop | Apple iMac G5, 1.8 GHz | October 4, 2005 | 88.2% |
| GP2 - Mid Range | MAC-Desktop | Apple iMac G5, 2.0 GHz | October 4, 2005 | 90.8% |
| SE1/SE2 - High End | MAC-Desktop | Apple PowerMac G5, 2.0 GHz | October 4, 2005 | 100% |
| SE2 – Premium | MAC-Desktop | Apple PowerBook G5 Dual, 2.7 GHz | October 4, 2005 | 100% |
| GP3 - Mid Range | MAC-Laptop | Apple PowerBook G4, 1.67 GHz | October 4, 2005 | 100% |

^{*}OAO requests for waiver for GP3-Tablets*, HP TC4200 and HP TC1100, dated October 5, 2005 are approved

- 3. Copies of the signed certifications for Quarter 27 and Quarter 28 PC and MAC seats are attached (60 pages).
- 4. All other terms and conditions of the Delivery Order remain unchanged and in full force and effect.

PART VIII LIST OF DOCUMENTS, EXHIBITS, AND OTHER ATTACHMENTS

| Attachment Number | Title | Dated | Number of pages |
|----------------------|--|--------------|-----------------------|
| Α | PRICE LIST FOR YEARS 1, 2, 3 | Dec. 1, 2004 | 82 |
| В | SUMMARY OF EXPANDED MA2 MAINTENANCE SUPPORT | Feb.27, 2001 | 1 |
| С | DATA REQUIREMENT DESCRIPTIONS | Dec. 1, 2004 | 20 |
| D | SOFTWARE TRIAGE LIST (RESERVED) | N/A | N/A |
| E | REVISED SEAT AND SERVICE LEVEL TABLE E | Dec. 1, 2004 | 17 |
| F | LIST OF INSTALLATION-ACCOUNTABLE GOVERNMENT PROPERTY | * | * |
| G | LIST OF GOVERNMENT-FURNISHED PROPERTY (RESERVED) | N/A | N/A |
| Н | LISTING OF PRINTERS SUPPORTED AS SHARED PERIPHERALS | Sep 2005 | 10 |
| I | PRICE LIST FOR TONER REIMBURSEMENT | Sep 2005 | 4 |
| J | APPROPRIATION AND ACCOUNTING DATA | Dec, 1, 2004 | 1 |
| К | LISTING OF ACCEPTED SEAT CERTIFICATIONS | 10/4/2005 | 2 |

^{*} To be incorporated by modification

ATTACHMENT K - LISTING OF ACCEPTED SEAT CERTIFICATIONS

Reference: Part III, Section B, Item 8, SEMI-ANNUAL ATTACHMENT R CONFIGURATION PROCESS

The systems that have been certified and accepted by the Government are set forth below:

| Quarter | Seat | Platform | System Configuration | Date Certified | Rating |
|-----------------|-----------------------|-------------|---------------------------------|-----------------|---------|
| Q26 (Apr 2005) | GP1 - Entry | PC-Desktop | HP DC7100, P4, 2.80 GHz | Apr. 4, 2005 | 81.5% |
| Q26 (Apr 2005) | GP2 - Mid Range | PC-Desktop | HP DC7100, P4, 3.0 GHz | Apr. 4, 2005 | 85.6% |
| Q26 (Apr 2005) | SE1/SE2 High End | PC-Desktop | HP DC7100, P4, 3.2 GHz | Apr. 4, 2005 | 89.3% |
| Q26 (Apr 2005) | SE2 - Premium | PC-Desktop | HP XW6200, P4, 3.2 GHz | Apr. 4, 2005 | 94.0% |
| Q26 (Apr 2005) | GP3 – Entry | PC-Laptop | HP Latitude NC6000, 1.6 | Apr. 4, 2005 | 79.7% |
| Q20 (Apr 2003) | GF3 - Lilliy | FC-Laptop | GHz | Apr. 4, 2005 | 19.1 /6 |
| Q26 (Apr 2005) | GP3 - Mid Range | PC-Laptop | HP Latitude NC8000, 1.6 GHz | Apr. 4, 2005 | 81.6% |
| Q26 (Apr 2005) | GP3 – High End | PC-Laptop | HP Latitude NC8000, 400 MHz | Apr. 4, 2005 | 100% |
| Q26 (Apr 2005) | GP3 – Lightweight | PC-Laptop | HP Latitude NC4010, 1.8 GHz | Apr. 4, 2005 | 95.5% |
| Q26 (Apr 2005) | GP3 – Tablet | PC-Laptop | Toshiba M200, 1.7 GHz | Apr. 4, 2005 | 95.1% |
| Q26 (Apr 2005) | GP3 – Tablet | PC-Laptop | HP TC1100, 1.1 GHz | Apr. 4, 2005 | 71.3% |
| Q26 (Apr 2005) | GP1 - Entry | MAC-Desktop | Apple iMac G5, 1.6 GHz | Apr. 4, 2005 | 77.5% |
| Q26 (Apr 2005) | GP2 - Mid Range | MAC-Desktop | Apple iMac G5, 1.8 GHz | Apr. 4, 2005 | 88.2% |
| Q26 (Apr 2005) | SE1/SE2 - High End | MAC-Desktop | Apple PowerMac G5, 1.8 GHz | Apr. 4, 2005 | 100% |
| Q26 (Apr 2005) | SE2 – Premium | MAC-Desktop | Apple PowerBook G5 Dual | Apr. 4, 2005 | 100% |
| Q26 (Apr 2005) | GP3 - Mid Range | MAC-Laptop | Apple PowerBook G4, 1.67 GHz | Apr. 4, 2005 | 100% |
| Q27 (July 2005) | GP1 - Entry | PC-Desktop | HP DC7100, P4, 2.80 GHz | July 1, 2005 | 81.5% |
| Q27 (July 2005) | GP2 - Mid Range | PC-Desktop | HP DC7100, P4, 3.0 GHz | July 1, 2005 | 85.6% |
| Q27 (July 2005) | SE1/SE2 High End | PC-Desktop | HP DC7100, P4, 3.2 GHz | July 1, 2005 | 89.3% |
| Q27 (July 2005) | SE2 - Premium | PC-Desktop | HP XW6200, P4, 3.2 GHz | July 1, 2005 | 94.0% |
| Q27 (July 2005) | GP3 – Entry | PC-Laptop | HP Latitude NC6230, 1.73 GHz | July 1, 2005 | 80.4% |
| Q27 (July 2005) | GP3 - Mid Range | PC-Laptop | HP Latitude NC8230, 1.86 GHz | July 1, 2005 | 90.5% |
| Q27 (July 2005) | GP3 – High End | PC-Laptop | HP Latitude NC8230, 2.0 GHz | July 1, 2005 | 94.8% |
| Q27 (July 2005) | GP3 – Lightweight | PC-Laptop | HP Latitude NC4200, 1.86 GHz | July 1, 2005 | 93.8% |
| Q27 (July 2005) | GP3 - Tablet* | PC-Laptop | HP TC4200, 1.86 GHz | July 1, 2005 | 87.2% |
| Q27 (July 2005) | GP3 - Tablet* | PC-Laptop | HP TC1100, 1.2 GHz | July 1, 2005 | 74.5% |
| Q27 (July 2005) | GP1 - Entry | MAC-Desktop | Apple iMac G5, 1.6 GHz | July 1, 2005 | 77.5% |
| Q27 (July 2005) | GP2 - Mid Range | MAC-Desktop | Apple iMac G5, 1.8 GHz | July 1, 2005 | 88.2% |
| Q27 (July 2005) | SE1/SE2 - High End | MAC-Desktop | Apple PowerMac G5, 1.8 GHz | July 1, 2005 | 100% |
| Q27 (July 2005) | SE2 – Premium | MAC-Desktop | Apple PowerBook G5 Dual | July 1, 2005 | 100% |
| Q27 (July 2005) | GP3 - Mid Range | MAC-Laptop | Apple PowerBook G4, 1.67 GHz | July 1, 2005 | 100% |
| Q28 (Oct 2005) | GP1 - Entry | PC-Desktop | HP DC7600, P4, 2.8 GHz | October 4, 2005 | 76.3% |
| Q28 (Oct 2005) | GP2 - Mid Range | PC-Desktop | HP DC7600, P4, 3.0 GHz | October 4, 2005 | 80.2% |
| Q28 (Oct 2005) | SE1/SE2 High End | PC-Desktop | HP DC7600, P4, 3.4 GHz | October 4, 2005 | 90.1% |
| Q28 (Oct 2005) | SE2 - Premium | PC-Desktop | HP XW6200, P4, 3.2 GHz | October 4, 2005 | 94.0% |
| Q28 (Oct 2005) | GP3 – Entry | PC-Laptop | HP Latitude NC6230, 1.73 GHz | October 4, 2005 | 80.4% |
| Q28 (Oct 2005) | GP3 - Mid Range | PC-Laptop | HP Latitude NC8230, 1.86 | October 4, 2005 | 90.5% |

| | | | GHz | | |
|----------------|-----------------------|-------------|----------------------------------|-----------------|--------|
| Quarter | Seat | Platform | System Configuration | Date Certified | Rating |
| Q28 (Oct 2005) | GP3 – High End | PC-Laptop | HP Latitude NC8230, 2.0 GHz | October 4, 2005 | 94.8% |
| Q28 (Oct 2005) | GP3 – Lightweight | PC-Laptop | HP Latitude NC4200, 1.86 GHz | October 4, 2005 | 93.8% |
| Q28 (Oct 2005) | GP3 – Tablet* | PC-Laptop | HP TC4200, 1.86 GHz | October 4, 2005 | 87.2% |
| Q28 (Oct 2005) | GP3 – Tablet* | PC-Laptop | HP TC1100, 1.2 GHz | October 4, 2005 | 74.5% |
| Q28 (Oct 2005) | GP1 - Entry | MAC-Desktop | Apple iMac G5, 1.8 GHz | October 4, 2005 | 88.2% |
| Q28 (Oct 2005) | GP2 - Mid Range | MAC-Desktop | Apple iMac G5, 2.0 GHz | October 4, 2005 | 90.8% |
| Q28 (Oct 2005) | SE1/SE2 - High End | MAC-Desktop | Apple PowerMac G5, 2.0 GHz | October 4, 2005 | 100% |
| Q28 (Oct 2005) | SE2 – Premium | MAC-Desktop | Apple PowerBook G5 Dual, 2.7 GHz | October 4, 2005 | 100% |
| Q28 (Oct 2005) | GP3 - Mid Range | MAC-Laptop | Apple PowerBook G4, 1.67 GHz | October 4, 2005 | 100% |